



LUSHBURY

CERTIFICATE OF ANALYSIS

PRODUCT	: CALCIUM CHLORIDE (94-98 PCT PELLETS)
BATCH NO.	: 2017-211
QUANTITY (NET WEIGHT)	: 500 GRAM
ANALYSIS DATE	: JUNE 2017
MANUFACTURING DATE	: JUNE 2017
EXPIRY DATE	: JUNE 2019

THIS IS TO CERTIFY THAT WE, THE UNDERSIGNED, HAVE INSPECTED THE QUALITY OF MENTIONED GOODS AND FOUND THE RESULTS OF INSPECTION AS FOLLOWS:

TESTING CONTENTS ANALYSIS			
NO.	ANALYSIS ITEM	STANDARD	TEST RESULTS
1	CALCIUM CHLORIDE(CACL ₂)	94-98% WT	96.20%
2	MAGNESIUM AS MGCL ₂	0.4% MAX. WT	0.11%
3	ALKALI CHLORIDES AS NA ₂ CO ₃	5.0% MAX. WT	1.8%
4	HEAVY METALS AS PB	0.005% WT MAX	0.003%
5	SULFATE AS CASO ₄	0.05% WT MAXIMUM	0.03%
6	INSOLUBLES IN WATER	0.20% WT MAXIMUM	0.02%
7	OTHER WATER SOLUBLE IMPURITIES	0.35% WT MAX	0.25%
8	PH IN 10% WATER SOLUTION	8 - 11	10.5

FOR AND ON BEHALF OF LUSHBURY FERTILIZER CORPORATION



AUTHORIZED SIGNATORY

10 MAPLE STREET, PORT WASHINGTON, NY, 11050, UNITED STATES OF AMERICA

+1-516-308-2787 -- SALES@LUSHBURYFERTILIZER.COM